

Class 1

Burlington Toilet Suites

Product Disclosure Information Self-Assessment

Version: V160823

Product name	Burlington Toilet Suites
Product line	Burlington Bathrooms
Product identifier	Burlington, Arcade

Product description

The pans are white ceramic. The seats are either white, black or wood veneer.

The cisterns are white ceramic and either close-coupled to the pan, low level, medium level, or high level.

The height of the pan ranges from 420-480mm, and they extend 670-740mm from the wall.

Relevant building code clauses

B2 Durability — B2.3.1 (c)

F2 Hazardous building materials — F2.3.1

G1 Personal Hygiene — G1.3.2

Contributions to compliance

- B2 Durability o B2.3.1 Burlington toilet suites carry a 5 year warranty for normal, domestic use, and 1 year warranty for commercial use
- F2 Hazardous building materials o F2.3.1 Burlington toilet suites are safe when handled. There are no requirements for this product in order to comply with Acceptable Solution F2/AS1, First Edition Amendment 3, 2017.
- G1 Personal Hygiene o G1.3.2 Burlington toilet suites shall be installed to: facilitate sanitation, avoid harbouring dirt or germs, allow effective cleaning, discharge to a plumbing and drainage system as required by Clause G13 Foul water when water-borne disposal is used, and provide a healthy safe disposal system when non-water-borne disposal is used Sanitary fittings should be easy to locate and identify, with their operation easy to understand and suitable for both standing and seated users

First party self-assessment generated Oct 4, 2023 with BPIR Ready.

Source: <https://bpir.nz/form/view?wz=ba4897b54daad0aa5cd7627f24deac230c4aab87>

Get BPIR Ready | bpir.nz

Scope of use

Burlington toilet suites are intended for domestic and commercial use. They are designed to enclose water.

They are to be floor mounted and cisterns either wall mounted or in-wall where applicable

Conditions of use

Burlington toilet suites must be installed in accordance with the instructions provided, and by a registered plumber. Floor surfaces must be flat and free of movement.

These products are intended for domestic and commercial use. They are cleanable and impervious to moisture.

Supporting documentation

The following additional documentation supports the above statements:

Title (type)	Version	URL
Burlington Toilet Suites (Design, Installation)	V160823	https://www.bathco.co.nz/bathrooms/toilets-bidets
Burlington Toilet Suite Warranty (Warranty)	V160823	https://www.bathco.co.nz/warranties

Contact details

Manufacture location	Overseas
Legal and trading name of manufacturer	Bathroom Brands Group
Legal and trading name of importer	Bath Co.
Importer address for service	86 Wigram Road Christchurch 8025
Importer website	www.bathco.co.nz
Importer NZBN	9429041650790
Importer email	info@bathco.co.nz
Importer phone number	033430969

Warnings and bans

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

No

Appendix

BPIR Ready selections

Category: Sanitary fixtures and appliances [legacy category]

	Yes	No
Suitable for Accessible facilities		x
Provision of hot water		x

Building code performance clauses

All relevant building code performance clauses listed in this document:

B2 Durability

B2.3.1

Building elements must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the *specified intended life* of the *building*, if stated, or:

- (c) 5 years if:
- the *building elements* (including services, linings, renewable protective coatings, and *fixtures*) are easy to access and replace, and
 - failure of those building elements to comply with the *building code* would be easily detected during normal use of the *building*.

F2 Hazardous building materials

F2.3.1

The quantities of gas, liquid, radiation or solid particles emitted by materials used in the *construction of buildings*, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.

G1 Personal Hygiene

G1.3.2

Sanitary fixtures shall be located, constructed and installed to:

- facilitate *sanitation*,
- avoid risk of food contamination,
- avoid harbouring dirt or germs,
- provide appropriate privacy,
- avoid affecting occupants of adjacent spaces from the presence of unpleasant odours, accumulation of offensive matter, or other source of annoyance,
- allow effective cleaning,
- discharge to a plumbing and drainage system as required by Clause G13 Foul water when water-borne disposal is used, and
- provide a healthy safe disposal system when non-water-borne disposal is used.

First party self-assessment generated Oct 4, 2023 with BPIR Ready.

Source: <https://bpir.nz/form/view?wz=ba4897b54daad0aa5cd7627f24deac230c4aab87>

Get BPIR Ready | bpir.nz

First party self-assessment generated Oct 4, 2023 with BPIR Ready.
Source: <https://bpir.nz/form/view?wz=ba4897b54daad0aa5cd7627f24deac230c4aab87>

Get BPIR Ready | bpir.nz